



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

daily by a varying flock of Cedarbirds, sometimes fifty or more, a few Bluebirds, several Robins, and a couple of Juncos. The abundant ivy berries were the principal attraction. My rooms were a little further than across the street from this spot. Directly in front of the house were several maples and on one of these two or three twigs nearest my windows and a trifle lower were broken and dripping. The Waxwings discovered this and several times I noticed two of them busy at these twigs while two or three others sat patiently awaiting their turn. A careful examination with field glasses at that close range showed them to be drinking sap. Their motions were those of drinking. I could see no small insects there, and even if there had been the Waxwings could have cleaned them up in a few minutes, but they were busy there for long periods. I never saw any of the other species follow the Cedarbird's example. While my first two Waxwings for the year were seen on March 18 out in the country, all that I saw after that date for several weeks were in town, the first flock of fifty appearing March 30.

Princeton, N. J.

CHARLES H. ROGERS.

NOTES ON CHESTER COUNTY, PENN., BIRDS FOR 1905. King Rail (*Rallus elegans*). A female was captured by some school boys, May 4, near Howelville, one mile north of Berwyn. It had been wounded, probably the same day, and not recovered by the hunter. The boys discovered it and ran it down. It is possible that it might have bred in the locality as the ovaries contained several partly developed eggs.

American Coot (*Fulica americana*). On November 1, a male was found dead near Green Tree, probably having flown against the telegraph wires.

Bartramian Sandpiper (*Bartramia longicauda*). On the evening of August 18, I received an immature female probably of a local brood, which was secured the same day in the Chester valley, one mile north of this place. Owing to the growing scarcity of this bird in this locality it is worthy of mention.

FRANK L. BURNS.

Berwyn, Pa.

TWO MORE BARN OWL (*Strix praticola*) RECORDS FOR SENECA COUNTY, OHIO. On the morning of August 30, a woman came to my house to have a Barn Owl mounted which was shot on the previous day about five miles north of Tiffin. A few weeks later a local photographer showed me a photograph he had taken two years ago of a Barn Owl which had been shot at Green Springs at the north-eastern end of the county and mounted then and there. Being unfamiliar with the name of the bird he asked me